

Mitel MiContact Center Enterprise

KNOWLEDGE BASE INTEGRATION
DESCRIPTION

Release 9.5 SP3



NOTICE

The information contained in this document is believed to be accurate in all respects but is not warranted by Mitel Networks™ Corporation (MITEL®). The information is subject to change without notice and should not be construed in any way as a commitment by Mitel or any of its affiliates or subsidiaries. Mitel and its affiliates and subsidiaries assume no responsibility for any errors or omissions in this document. Revisions of this document or new editions of it may be issued to incorporate such changes.

No part of this document can be reproduced or transmitted in any form or by any means - electronic or mechanical - for any purpose without written permission from Mitel Networks Corporation.

TRADEMARKS

The trademarks, service marks, logos and graphics (collectively "Trademarks") appearing on Mitel's Internet sites or in its publications are registered and unregistered trademarks of Mitel Networks Corporation (MNC) or its subsidiaries (collectively "Mitel") or others. Use of the Trademarks is prohibited without the express consent from Mitel. Please contact our legal department at legal@mitel.com for additional information. For a list of the worldwide Mitel Networks Corporation registered trademarks, please refer to the website: <http://www.mitel.com/trademarks>.

Knowledge Base Integration - Description
Release 9.5 SP3 – April 2022

®,™ Trademark of Mitel Networks Corporation
© Copyright 2022 Mitel Networks Corporation
All rights reserved

INTRODUCTION

This document describes how to integrate a 3rd party knowledge base product with MiCC Enterprise. Detailed instructions on the configuration as well as how to build an adapter are included.

When an agent opens an email, chat or SMS, a knowledge base request will be made based on the contents of the e-mail, SMS or incoming chat messages from the customer. Script Manager has blocks to make a knowledge base request as well.

CREATING AN ADAPTER

GENERAL

To integrate the knowledge base with MiCC Enterprise, an adapter must be created. The adapter must be a .NET assembly that implements the IKBIntegration interface found in the [InstallDir]\services\bin\MiCC Enterprise.KBIntegration.dll assembly.

IKBIntegrationInterface

The interface only contains 1 method,

```
namespace Solidus.KBIntegration
{
    public interface IKBIntegration
    {
        GetKBInfoResponse GetResults(GetKBInfoRequest request);
    }
}
```

GETKBINFOREQUEST

This is the parameter passed into the GetResults Method

PARAMETER NAME	DESCRIPTION	OPTIONAL/REQUIRED
SessionID	The SessionID of the current media session	Required
TenantID	Record ID of the tenant the session is allocated to	Required
ServiceAccessID	Record ID of the service access requesting the info.	Optional
ServiceGroupID	Record ID of the service group requesting the info.	Optional
Subject	Email Subject	Optional
Data	Data to lookup in the request	Optional
AdditionalData	Additional data typically added through the IVR	Optional
MediaType	Type of media (e-mail, chat or SMS)	Required
ContextID	Context ID returned from the last GetResults call. Does not apply to manual searches.	Optional
MaxResults	Maximum number of results to return.	Required

0 = unlimited.

GETKBINFORESPONSE

This object is returned from the GetResults method

PARAMETER NAME	DESCRIPTION	OPTIONAL/REQUIRED
SessionID	The SessionID passed into the GetResults method	Required
Result	Result of the request	Required
Responses	List of KBInfo results	Required if successful
ContextID	Adapter may return a context ID which will be passed into the next GetResults call for the same chat or e-mail session.	Optional

KBINFO

This object maps to a successful result from the knowledge base

PARAMETER NAME	DESCRIPTION	OPTIONAL/REQUIRED
ConfidenceLevel	The confidence level of the result if provided by the 3 rd party knowledge base. A value of null indicates confidence level not supported. Range is 0 -100.	Optional
Data	The knowledge base result. The results may contain identifiers that will be replaced when the response is inserted into the e-mail, chat or SMS. See the section <i>Replaceable Identifiers in Response Files and KB Responses</i> in the document <i>Advanced Configurations</i> .	Required

C# EXAMPLE

This example was created using Visual Studio 2013.

Steps:

1. Create a new class library project targeting the .NET Framework 4.5.1
2. Add a reference to the [InstallDir]\services\bin\Solidus.KBIntegration.dll assembly
3. Create a new class and have it implement the Solidus.KBIntegration.IKBIntegration interface.
4. Implement the GetResults method by querying the 3rd party knowledge base.

5. Build the release configuration.

The sample project can be found on the MiCC Enterprise DVD in the Tools\SampleCode\KBIntegration.Example directory.

An example with a hard-coded result is shown below:

```
using System;
using System.Collections.Generic;
using System.Text;

namespace Solidus.KBIntegration.Example
{
    public class KBIntegration : IKBIntegration
    {
        public GetKBInfoResponse GetResults(GetKBInfoRequest request)
        {
            if (null == request)
                throw new ArgumentNullException();

            GetKBInfoResponse response = new GetKBInfoResponse();
            response.Result = KBResultType.Success;
            response.SessionID = request.SessionID;
            response.Responses = new List<KBInfo>();

            // Rather than the hard-coded data below, a connection to the 3rd party knowledge
            // base should be implemented here and the responses from it returned.
            response.Responses.Add(new KBInfo { ConfidenceLevel = 90, Data = "Response 1" });
            response.Responses.Add(new KBInfo { Data = "Response 2" });
            response.Responses.Add(new KBInfo { ConfidenceLevel = 50, Data = "Response 2" });


            return response;
        }
    }
}
```

CONFIGURATION

To configure the adapter, follow these steps:

1. On the MiCC Enterprise server, verify that the E-mail service is installed. The knowledge base integration is housed in the E-mail service. Install if necessary.
2. Copy the adapter to the server where the E-mail service is installed.
3. Run Configuration Manager.
4. Open the Contact Center properties (Tenant Properties for a tenanted system).
5. At the bottom of the General Tab, enable the Knowledge Base integration.
6. Enter the full path and file name of the adapter.
7. Enter the full Integration Type Name.

The screenshot below shows how the example class listed above would be configured:



8. Knowledge Base Integration must also be enabled for each service group where it applies.
9. Open the Service Group Properties for the desired service group.
10. At the bottom of the General Tab, enable the Knowledge Base integration.

