# Clearspan® Communicator User Guide for iPhone

NOVEMBER 2014 Release 20.1.2 2893-002



#### **NOTICE**

The information contained in this document is believed to be accurate in all respects but is not warranted by Mitel Communications, Inc. (MITEL®). The information is subject to change without notice and should not be construed in any way as a commitment by Mitel or any of its affiliates or subsidiaries. Mitel and its affiliates and subsidiaries assume no responsibility for any errors or omissions in this document. Revisions of this document or new editions of it may be issued to incorporate such changes.

No part of this document can be reproduced or transmitted in any form or by any means - electronic or mechanical - for any purpose without written permission from Mitel Communications, Inc.

#### **TRADEMARKS**

Clearspan® and Mitel® are trademarks of Mitel Communications, Inc.

Other product names mentioned in this document may be trademarks of their respective companies and are hereby acknowledged.

Clearspan Communicator User Guide for iPhone Release #20.1.2 – November 2014

®,™ Trademark of Mitel Communications, Inc.
 © Copyright 2014 Mitel Communications, Inc.
 All rights reserved

| 1 | RE  | VISION HISTORY  | 1  |
|---|-----|---|----|
| 2 | AB  | OUT CLEARSPAN COMMUNICATOR FOR IPHONE                 | 2  |
| 3 | GE  | ETTING STARTED  | 3  |
|   | 3.1 | Installation  | .3 |
|   | 3.2 | Sign In   | .3 |
| 4 | MA  | AIN TABS  | 4  |
| 5 | CC  | ONTACTS   | 5  |
|   | 5.1 | Add   | .5 |
|   | 5.2 | Edit  | .6 |
| 6 | PR  | RESENCE   | 7  |
| 7 | INS | STANT MESSAGING                                       | 8  |
|   | 7.1 | Chat Tab  | .8 |
|   | 7.2 | Chat  | .9 |
|   | 7.3 | Group Chat (Ad-Hoc Rooms)                             | .9 |
|   | 7.4 | Chat Recording1                                       | 0  |
|   | 7.5 | Chat Security Classification1                         | 0  |
| 8 | AU  | JDIO AND VIDEO CALLS 1                                | 1  |
|   | 8.1 | Dial Pad Tab1   | 1  |
|   | 8.2 | Make Audio or Video Calls                             | 1  |
|   | 8.3 | Answer Call1  | 2  |
|   | 8.4 | In Call Actions1                                      | 2  |
|   | 8.5 | Missed Calls and New Messages                         | 3  |
|   | 8.6 | Message Waiting Indicator and Voice Mail Access       | 3  |
|   | 8.7 | Business Line Call Back1                              | 3  |
|   | 8.8 | Contact Name Lookup for Incoming Calls and Call Logs1 | 4  |

| 8  | 3.9              | N-Way Calling (conference)                           | 14 |
|----|------------------|--|----|
| 8  | 3.10             | Call Waiting   | 14 |
| 8  | 3.11             | New Call   | 14 |
| 8  | 3.12             | Call Transfer  | 15 |
| 8  | 3.13             | Call Pull  | 15 |
| 8  | 3.14             | Call Park  | 15 |
| 8  | 3.15             | Call Recording                                       | 15 |
| 8  | 3.16             | Call Security Classification                         | 17 |
| 9  | CAL              | L HISTORY  | 18 |
| 10 | SE               | TTINGS   | 19 |
| 1  | 0.1              | Automatic Sign In                                    | 19 |
| 1  | 0.2              | Call Settings  | 19 |
|    | 10.2.            |  |    |
|    | 10.2.3           | •  |    |
|    | 10.2.            |  |    |
|    | 10.2.            |  |    |
|    | 10.2.0<br>10.2.1 |  |    |
|    |                  |  |    |
| 11 | IVI              | / ROOM   | 22 |
| 12 | SE               | ARCH   | 23 |
| 13 | MU               | JLTI-DEVICE  | 24 |
| 14 | TR               | OUBLESHOOTING  | 25 |
| 15 | SI               | GN OUT   | 26 |
| 16 | 01               | HER FEATURES   | 27 |
| 1  | 6.1              | Deployment Configurations for IM&P, Audio, and Video | 27 |
| 1  | 6.2              | Version Control                                      | 27 |
| 1  | 6.3              | Privacy Management                                   | 27 |
| 1  | 6.4              | Firewalls and NATs                                   | 28 |

| 16.5  | Failover and Failback     | 28 |
|-------|---------------------------|----|
| 16.6  | Secure VoIP Communication | 28 |
| 16.7  | VoIP Quality of Service   | 28 |
| 16.8  | Call Quality Reports      | 28 |
| 17 AF | BBREVIATIONS              | 29 |

#### **REVISION HISTORY** 1

The following represents the revision history of this publication:

| REVISION<br>NUMBER | DATE<br>COMPLETED | POINT OF CONTACT                              | DESCRIPTION                          |
|--------------------|-------------------|---|--------------------------------------|
| 2893-002           | November 2014     | Mitel Technical<br>Publications, Velvet Moore | Updates for R20.1.2.                 |
| 2893-001           | June 2014         | Aastra Technical Publications, Velvet Moore   | Initial release of this publication. |

#### ABOUT CLEARSPAN COMMUNICATOR FOR IPHONE 2

Clearspan Communicator for iPhone provides the following communication features:

- Voice Calling (VoIP)
- Voice Calling (Circuit Switched)
- Video Calling
- Clearspan Call Settings
- Instant Messaging and Presence (IM&P)

#### **GETTING STARTED** 3

This section contains the essential information for getting started with Clearspan Communicator.

#### 3.1 **INSTALLATION**

The iPhone client can be downloaded from Apple App Store.

#### 3.2 SIGN IN

When you first launch the application, you are prompted to sign in.

- If displayed, enter the device configuration address (Uniform Resource Identifier [URI]) provided by your service provider.
- 2. Enter your Clearspan user name and password.
- 3. Select whether you would like Clearspan Communicator to remember your password.
- 4. Select whether you would like Clearspan Communicator to sign you in automatically on subsequent launches.
- 5. Tap Sign In.




Note: If you select automatic sign in, you are signed in automatically and taken to the Contacts list upon subsequent Clearspan Communicator launches. Otherwise, you are presented with the Sign In screen.


After logging in, a pop-up dialog may appear informing you about emergency calls.

Depending on your service provider settings, the client may have a Forgot Password link on the login dialog box allowing retrieval of forgotten passwords. The functionality for retrieving the password is provided by the service provider

# 4 MAIN TABS

When you start Clearspan Communicator for the first time, the *Contacts* list is empty. Use the *search* field to find people and add them to your *Contacts* list. Contacts can also be added manually by tapping the + Add button.





The main view contains a number of tabs that present information about the contacts and communications options available as follows:

- Contacts
- Chat
- Call
- History
- Settings

# 5 CONTACTS

The Contacts list in Contact tab can contain different types of contacts as follows:

- Presence-enabled contacts
- Non presence-enabled contacts

Any contact can be marked as a favorite and it appears at the top of the *Contacts* list in the *Favorites* section.

Presence-enabled contacts are users with an Extensible Messaging and Presence Protocol (XMPP) address. These can be other Clearspan Communicator users or users from federated systems such as Google Talk. Non presence-enabled contacts can be phone or conference numbers.

The Contacts tab contains:

- Contact (Buddies) list
- Local contacts
- Directory contacts

Directory provides the company directory contacts. The *Local* contact list provides the contacts from the local phone book.

## 5.1 ADD

When you sign in for the first time, there are no contacts on your *Contacts* list. Add a new presence-enable contact at any time by selecting the option *Add Contact* from the + plus icon in the navigation bar. Another way to add new contacts is to use the directory search option from the *Contacts* tab.

In the *Add Contact* screen, enter the contact's information and then tap **Done**. By default, your presence information is always shared with a new contact if an XMPP address is provided.

If you receive a buddy request invitation, you can ignore or accept it. If you ignore the buddy request, you can always share your presence information later by selecting *Subscribe* from the buddy contact card. Note that the contact must accept your subscription request for you to establish the presence relationship successfully.

Add a conference number by selecting the option *Add Conference* from the + plus icon in the navigation bar by typing a conference number. You can also add a conference number from directory search. A conference contact is a special contact used for conference bridges to avoid having to remember a PIN code and a conference number, for example, for a recurring conference.

Add a local contact by selecting the option *Add Local Contact* from the + plus icon in the navigation bar. The option *Add Local Contact* opens the native Address Book for adding a new contact from the local phone book.

# **5.2 EDIT**

Tap a contact entry from the *Contacts* list to open a contact card. This is the same for presence-enabled and non-presence-enabled contacts.

- Edit opens the Contact Information dialog box where you can add, edit, or remove information. This works for both presence-enabled and non-presence-enabled contacts.
- Unsubscribe removes the presence relationship between you and that contact. This
  means you do not see the contact's presence information and your contact does not see
  yours. Select Subscribe to re-establish the presence relationship. An unsubscribed
  contact remains on your Contacts list and is always shown as "offline".
- Remove deletes the contact from your Contacts list.




#### PRESENCE 6

曲

Instant Messaging (IM) and Presence (P) are optional Clearspan features.

You can see presence for each contact to which you have subscribed. Similarly, your contacts can see your presence on their Contacts list. Presence means that your friends are able to see whether you are available, for example, "I'm available" or "I'm busy".

#### **ICON WHAT IT MEANS**



The cellphone icon indicates that the user is logged in on a mobile device.

The yellow presence icon indicates that the user is online but has been idle or away from the computer for more than ten minutes.

The red presence icon indicates that the user is busy and does not want to be disturbed.

The grey presence icon indicates that the user is offline, and the only available contact method is calling or chatting.

The question mark indicates that a subscription is pending and the contact has not yet approved sharing presence.

This icon indicates that the contact is busy due to a call. This is an automated presence

This icon indicates that the contact is busy due to a meeting. This is an automated presence status. The Busy - In Call status overrides the Busy - In Meeting status, so this one is only seen when there is a meeting but no call.

You can set your own presence by tapping on the presence icon from the status bar on the Chat tab. The presence icon opens the My Status screen where you can change your avatar, personal message, and presence status.

Your avatar is the picture that represents you in your friends' Contacts lists and in chat screens. Tapping on an avatar opens a dialog with options to select an existing image, to take a new one with your phone camera, or to clear your avatar. You can enter a status message into the area next to the avatar. This status text is shown in your friends' Contacts lists.

If you see the error message, "Chat Unavailable" under any tab, it means that XMPP connectivity has been lost for chat and presence; however, you can still make calls. In this case, you should contact your service provider.

The presence update is only triggered by appointments and meetings that are either accepted by the user or made by the user. All-day meetings do not trigger a presence change to Busy - In Meeting.

# 7 INSTANT MESSAGING

Instant Messaging (IM) and Presence (P) are optional Clearspan features.

# 7.1 CHAT TAB



Chat shows the list of recent chats since the last login. If User A chats with User B multiple times, their discussions appear as one item in the list.

Tapping the name opens the chat view (IM view) where new messages can be typed. Old messages are also shown.

New incoming messages are indicated with a notification badge to the right of the name. The icon remains next to the name until the message is read.

Chats are listed so that the newest one is always at the top. Chats are not in alphabetical order. Instead, they are listed with the most recent first.

Tapping the menu button in the navigation bar displays the *Make all as Read* option. This option removes all notification badges from the *Chat History* list.

Tap the presence status icon to update your status or location and enter a status message.



The *My Status* screen allows you to update your status or location and enter a status message.

Tap the avatar to upload a picture.

Tap the input field to update your status.

# 7.2 CHAT

Start a chat using one of the following methods:

- From the Buddies list, tap a contact to open the contact card. From the contact card, choose the chat bubble icon to start chat.
- In the Chat History list, tap a contact entry to start a chat.

When you initiate a chat, the *Chat* screen opens. Chatting with a contact is possible only when you are both online. If your contact initiates a chat, you see a notification badge on the Chat tab and the entry appears on the top of Chat History list.

When the chat opens, the name of the recipient is on the top bar and there is a presence icon flag before the name. The recipient messages are presented in the orange background and the user is presented in white background.

A smiley can be added to a message by typing the corresponding character code or by selecting a smiley icon. The smiley is displayed graphically in the message area.

The text input field in Chat uses auto-correct, auto-cap, and spell check based on system settings. Use the system settings to enable or disable these features.

#### 7.3 GROUP CHAT (AD-HOC ROOMS)

Start a group chat using one of the following methods:

- In single chat session, tap the add participant icon <sup>+</sup> to escalate from a single to a group chat.
- From the *Chat* tab, tap on the menu icon to select the **Start group chat** option.
- In the *Chat History* list, tap a group communication entry to start a group chat.

When you initiate a group chat, the Chat screen opens. More people can be added later to the chat using the add participant icon. Anyone in the group chat can add participants. However, removing participants is currently not supported.

A group chat works the same way as a one-on-one chat. All messages from anyone are sent to everyone else. All contacts need to be online to be able to participate in a group chat. You cannot invite an offline contact.

A group chat history is saved and is available to view later in the *Chat* tab.

A user can leave a group chat by selecting the *Leave Chat* option. The chat is marked as "offline" and the user no longer receives messages from the chat. When tapping on the "offline" chat, the user re-joins the room and starts receiving messages. However, the user does not receive the messages that were sent in the chat while the user was outside of the room.

The Clear History menu item works the same way as the corresponding option in a one-onone chat and removes the local history.

The View Participants button opens a dialog that shows the list of participants in the group chat.

Deleting a chat room is not supported.

#### **CHAT RECORDING** 7.4

The Clearspan Communicator client can provide a chat recording indication to users for all chat sessions depending on the server configuration. Chat recording state is applied to all users registered in a single domain. This setting is not specific to any user and therefore the recording state cannot be modified by end users.

#### 7.5 CHAT SECURITY CLASSIFICATION

The Clearspan Communicator client provides the ability to specify the security classification of chat sessions. The security classification is configured on the server side and cannot be changed by end users. The security classification level for instant messaging is assigned to the whole domain and all users in that domain have the same classification level. It is visible in all the chat session types: single and group.

#### **AUDIO AND VIDEO CALLS** 8

#### 8.1 DIAL PAD TAB



The Dial Pad tab displays a dial pad and a text field used to enter numbers. The dial pad is one of the options used to make audio or video calls. There are three buttons below the dial pad: Video Call, Call, and Dial pad menu that are configurable by the service provider. When you enter a number, the top text field will have a delete button that, when pressed, deletes one character at a time.

A badge notification appears on the *Dial pad* tab when there are messages in the voicemail box. A long press on the "1" digit connects you to the voicemail box. When there is no voice mail in your voicemail box, no notification badge is shown.

The Dial pad menu can contain two options: Call Pull and Retrieve Call.

#### 8.2 MAKE AUDIO OR VIDEO CALLS

Make an audio or video call using one of the following methods:

- Choose a contact from contact list and tap on the headset icon for an audio call or the video icon for a video call.
- From search results, open a contact card and tap on the headset icon for an audio call or the video icon to perform a video call.
- Open the dial pad, enter a phone number, and tap the Call or Video button.
- On the Call History list, tap a call entry.
- On the *Chat* screen, tap the headset icon for an audio call or the video icon for a video call.

#### **ANSWER CALL** 8.3

An incoming call is indicated by a ringtone. There are two options on the incoming call screen: Answer and Decline. If you decline the call, it causes the line to sound busy at the caller's end and they know that you rejected the call.

#### 8.4 IN CALL ACTIONS



You can perform the following actions from the *In Call* screen:

- End a call
- Mute the microphone
- Open the key pad
- Adjust the volume
- Escalate from an audio to video call and downgrade from a video to audio call
- Place a call on hold
- Make a new call
- Transfer a call Attended
- Transfer a call Unattended
- Make a conference
- Park a call
- Transfer a call to circuit-switched call

- Add more participants (in conference call only)
- Merge two separate calls
- Swap two separate calls
- View participants (on a conference call)

# 8.5 MISSED CALLS AND NEW MESSAGES

Notifications (for example, for missed calls or new messages) are shown as badges on the tab icons.

# 8.6 MESSAGE WAITING INDICATOR AND VOICE MAIL ACCESS

If you have pending voice mail (VM) messages, then a badge is displayed on the *Call* tab icon that indicates the number of pending VM messages.

The voice mail is accessible with a long-press of the dial pad digit "1" (similar to how it is done on a regular mobile keypad).

## 8.7 BUSINESS LINE CALL BACK

Clearspan Communicator allows you to originate a circuit-switched call using your business line identity. This is done using the basic Call Back functionality on Clearspan.

Basic Call Back is only available if you have Clearspan Anywhere or Remote Office assigned. The application checks to see whether one of these two services is provisioned with a phone number that matches the mobile number. If it is provisioned this way, it provides you with the option to make calls using the Call Back feature.

In order to provide a better user experience, the client creates a temporary contact in the native phonebook for the destination telephone number but configured with the temporary IMRN as a number. If a contact has an entry in the local phonebook, then the name is also copied into this new temporary contact. By doing this, the user receives visual feedback from the phone's native dialer that the correct person is being reached even though the phone is dialing a Clearspan number (or IMRN).

Note that nothing can be done for the phone's native call log. That is, the user sees in the phone's native call log all the IMRN numbers with no indication of the actual destination number being called. The user must access the Clearspan *Call History* via the Clearspan Communicator application to see the actual destination number that was called.

The iOS client provides two additional settings related to Call-Back dialing:

 Callback validation – if set to "ON", it checks that Clearspan Anywhere or Remote Office is enabled and verifies that the phone number in Clearspan Anywhere or Remote Office matches the users mobile phone number. Mobility - if set to "ON", it imposes that the Mobility service number is used for Call Back instead of Clearspan Anywhere or Remote Office.

# 8.8 CONTACT NAME LOOKUP FOR INCOMING CALLS AND CALL LOGS

Whenever the incoming call does not have a calling name associated with it, Clearspan Communicator can perform a local contact search. If the number matches one of the contacts on the mobile phone Contacts list, the name is shown on the incoming Call screen along with the alert.

Whenever you retrieve your call logs/history and the call log does not have a calling name associated with it, the client does a lookup in the local contacts and populates the name if a match is found.

#### 8.9 N-WAY CALLING (CONFERENCE)

Clearspan Communicator supports SIP-based conference calls with up to three participants. While on a two-way call, you can add a third party by using the Conference button. It opens the address book on the device to search for and select the new participant.

The supported mode is Blind Conference calling. The third party receives a call and it is joined to the conference automatically when the call is answered. The Attended Conference mode, which prompts the third party to join or decline, is not supported in this release.

Once the conference is established, the participants are shown on the *Device* screen.

The other way to create Conference call or to add participants to an existing Conference is to make a second new call and then select the *merge* option.

# 8.10 CALL WAITING

You can have one active call at any one time if you receive a new incoming call and accept it. The existing call is put on hold and you can change between these two calls by using the Hold and Unhold buttons.

# 8.11 NEW CALL

The client supports starting a new call while in an ongoing call. The steps are as follows:

- 1. Establish a call with a remote party.
- 2. Initiate second call using the new call button.
- 3. Select a contact and then choose a number. After the new call is established, the first call is put on hold. You can also swap the two calls or to merge it in conference.

## 8.12 CALL TRANSFER

The client supports transferring VoIP calls to another party. Two modes of transfer are supported:

- Attended Transfer Establish a call with a remote party. Select a contact then choose a
  number. Select the *call first* option. If the call is successfully established, you can talk
  with the third party privately before completing the transfer by pressing the **complete**button.
- Unattended Transfer Establish a call with a remote party. Select a contact and then
  choose a number. Select the *Transfer* option and the transfer is completed.

# 8.13 CALL PULL

Call Pull can be used in scenarios where a user has two endpoints, for example, a VoIP desk phone and a mobile phone with Clearspan Communicator. If the user has an active call on the desk phone, then this call can be transferred seamlessly to the mobile phone by selecting **Pull Call** from the Dial pad menu. Depending on the application, dialing settings, and service configuration, the call can be pulled as a VoIP or circuit-switched call to the mobile phone. There is no interruption to the voice call.

# 8.14 CALL PARK

The Call Park service allows a "parking" user to park a call against a "parked against" extension. The "parked" user is placed on hold until a user retrieves the parked call. If the call is not retrieved within the provisioned recall time, then the parked call is reverted and presented to the "recall" user.

## 8.15 CALL RECORDING

The Clearspan Communicator client provides the ability for users to start, stop, pause, and resume call recordings. Call recording controls depend on user's call recording mode configured on the server. The client supports the option to record a call before it begins or during the call itself.

#### Record call at call startup

- User A starts the application and signs in.
- User A establishes a call with User B.
- The call is automatically set in recording state.

## Record call on demand

- User A starts the application and signs in.
- User A establishes a call with User B.

- User A can pause and resume the call recording.
- User A enables call recording during the call and the entire call is recorded.

# Start, stop, pause, or resume call recording

- User A starts the application and signs in.
- User A establishes a call with User B.
- User A starts, stops, pauses, and resumes recording during the call.

## Visual indication for a call recording

- User A starts the application and signs in.
- User A establishes a call with User B.
- User A starts call recording.
- User A can see a visual indication for the call recording.

#### Silent call recording monitoring

- User A is not configured to hear audio notifications for the call recording states.
- User A starts the application and signs in.
- User A establishes a call with User B.
- Call recording is in progress.
- User A can see a visual indication that the call is being recorded, but no audio notifications are played.

## Conference call recording

- User A starts the application and signs in.
- User A establishes a call with User B.
- User A starts call recording (optional).
- User A sees a visual indication that the call is being recorded.
- User A and User B hear an audio announcement with the call recording status.
- User A and User B hear an audio indication that the call is being recorded.
- User A creates a conference call with User B and User C.
- User A starts call recording.
- User A sees a visual indication that the call is being recorded.
- Users A, B, and C hear an audio notification that the call is being recorded.
- Users A, B, and C hear an audio indication that the call is being recorded.

# 8.16 CALL SECURITY CLASSIFICATION

The Clearspan Communicator client provides the ability to specify the security classification of calls. The security classification of a call party is determined by the security classification set at the Clearspan Enterprise level; all users within the organization inherit that security classification. Security levels are configurable on the server side, but there is always at least one security level, that is, "Unclassified".

In addition, each user can change the security classification for the duration of the call via their handset. The user can change the security classification to a level less than or equal to their configured security classification.

## Display security classification of a call

- User A calls User B.
- The security classification of the call is displayed on the *In Call* screen.

# Change security classification during a call

- User A calls User B.
- The security classification of the call is displayed on the *In Call* screen.
- User A and User B can change the security classification during the call. Both User A and User B update the security level from the server.

#### **CALL HISTORY** 9

The client supports the basic Clearspan Call History. From the segmented controls the Call History can be set to show all or missed calls.

On the list of calls, there are icons indicating whether a call was incoming, outgoing, or missed.

The list of the call items consists of an icon showing what kind of call it was (a green arrow means incoming, a blue arrow means outgoing, and a red arrow means missed). It also shows the name, number, Unavailable status for the caller, and below the name, it shows the number, if available. To the right, is the date of the call and the time the call was initiated.

The Call History makes it easy for you to redial and call back when you miss a call or when you want to dial a contact with whom you have recently spoken.



# 10 SETTINGS

The Settings view contains the following items, which can be configured by the end user:

- Call settings
- Remember password
- Sign in automatically (note that this is disabled until *Remember Password* is checked).
- Language
- Troubleshooting
- Caller ID lookup

The hard key menu contains the *Help*, *About*, and *Sign Out* options. The client provides webbased help that can be launched from *Settings*. The *About* screen shows information about the client, for example, it shows the current client version number. *Sign Out* exits and closes the client.

# 10.1 AUTOMATIC SIGN IN

The user can choose to sign in automatically with Clearspan Communicator with a default account when the client is started. Together with the functionality to start Clearspan Communicator automatically at system startup, makes it easier for the user to remember to sign in and be available for communication.

# 10.2 CALL SETTINGS

The client supports the following Aastra Clearspan Service Management features, allowing Clearspan supplementary services to be turned on or off using the native client *Preferences* window:

- Call Forwarding
- Do Not Disturb
- Clearspan Remote Office
- Clearspan Anywhere
- Hide Caller ID (Calling Line Identification Presentation [CLIP]/Calling Line Identification Restriction [CLIR])
- Simultaneous Ring Personal
- My Telephone Number

# 10.2.1 Clearspan Anywhere

Clearspan Anywhere allows service providers to offer fixed-mobile convergence (FMC) services without any additional equipment.

Clearspan Anywhere simplifies communications for on-the-go users and remote users by extending the features of a desk phone to any other fixed or mobile device, regardless of the network or handset manufacturer. Callers dial one number and can reach you on any phone the user chooses. A desk phone, cell phone, and/or a soft phone can ring simultaneously.

Enjoy voice call continuity with the ability to move live calls from one device to another without hanging up.

Add locations (numbers) that can be used in the service using the Add New Location button. Use the Alert All Locations to activate parallel ringing.

Select Diversion Inhibitor to prevent a call from ending up as a voice mail, which can be problematic in, for example, conference call situations.

Select Answer Confirmation to receive a separate audio prompt when answering a call from that number (location). It can be useful in cases where, for example, mobile numbers are being used to prevent incoming calls going to mobile voice mail since the call will be ended without going to voice mail if the answer confirmation is not provided.

Select Call Control to enable the server platform to provide mid-call services such as Call Transfer and Conferencing for that number (location).

Clearspan Anywhere is a premium feature.

## 10.2.2 Clearspan Remote Office

This service allows the use of any phone as an office phone from a charging and numbering perspective. For instance, a hotel room phone can be used as the office phone.

Enable Remote Office and specify a phone number to be used as the Remote Office number.

Clearspan Remote Office is a premium feature.

# 10.2.3 Call Forwarding

By tapping on a different Call Forward option, you can enter a number to forward your calls as follows: Call Forward Always, Busy, or When Unreachable.

## 10.2.4 Do Not Disturb

When you activate this service, all calls are typically blocked by the server and sent to voice mail.

## 10.2.5 Hide Number

You can hide or display your number when calling or communicating with other parties or contacts. To hide your number, set to "Enable". To show your number, set to "Disable".

# 10.2.6 My Telephone Number

Own Number is used with the Call-Through calling mode. The user should provide their mobile device telephone number in this field.

## 10.2.7 Test Call

The client provides the ability to perform an Audio or Video test call to an echo number. Note that the echo service is provided and enabled by the service provider.

A common example of using an echo service is as follows:

 Press Test Call to initiate a call to the echo service and then follow the operator's instructions until you hear back your recorded message.

# 11 MY ROOM

My Room is an always available and permanent room you can use to chat with anyone that joins.

My Room is accessible from the Chat tab using the menu icon on the navigation bar. You can add more participants using the add participants icon or they can join your room from your contact card. Once people join the chat room, they can tap the Call button of that screen to automatically join the conference.

My Room uses your permanent chat room, permanent collaboration room, and conference bridge (audio or video). All My Room sessions start as chats but call may be added to the session while in progress.

Others join your room by tapping your name on their Contacts list and selecting Join Room from the contact card.

My Room and Desktop Sharing are optional Clearspan features.

# 12 SEARCH

Clearspan Communicator supports search in Contacts (Buddies), Enterprise Directory, and Local contacts. Depending on the selection in the segmented control (Buddies, Directory, or Local) search results are as follows:


• Search of Buddy Contacts – Tapping in the search field opens the search view and after a search, the search results with buddies are displayed with names and avatars.



 Search of Enterprise Directory – Tapping in the search field opens the search view with three filters: All, Directory and Local. Depending on the filter selected, the corresponding search results are displayed.



 Search of Local Contacts – Tapping in the search field opens the search view and after a search, the results with local contacts are displayed with names and local avatars.



 Tapping on a contact after Buddy, Enterprise Directory, or Local search opens a contact card.

# 13 MULTI-DEVICE

Clearspan Communicator provides support for users with multiple devices. This includes several features:

- Chat invitations are sent to all devices. Before the session is accepted, messages are sent to all devices, and once answered, the chat messages go to the device that sent a reply message.
- Retrieving one's own presence notifications when another client updates the user's presence. The client updates its own status based on the information it receives from the server.
- Accepting a shared presence invitation in one client is also recognized by another client and both clients start receiving presence updates.
- A new presence subscription made in one client is recognized in another. If the contact blocks the invitation, there are presence notifications sent from the server to all of the user's clients indicating that the subscription was terminated. This information is shown to the user. If the client receives two presence authorization requests from two or more devices for the same user, it only shows one request to the user.
- Removing a contact from a contact list in one device is recognized in another client and the contact list is updated (that is, the contact is removed) in the other client as well.

# 14 TROUBLESHOOTING

The troubleshooting function can be used if there are issues encountered with the application. It collects and sends diagnostic information to a predefined support e-mail address that is configurable via branding. This helps the support personnel to identify the issues. The information being sent consists of application and media engine diagnostic logs.

Troubleshooting is managed by a menu entry in *Settings*. It can be accessed from two places in the client:

- Using the Help button on the Sign In screen Tapping on Help opens the Settings screen that contains the help and troubleshooting-related entries. This can be used before the user signs in, which is most often for cases in which a user has issues with sign in or connectivity.
- From the Settings screen Help and troubleshooting entries are available at the bottom of the Settings menu. These are accessible while the user is logged in.

# 15 SIGN OUT

You sign out at the bottom of the Settings tab.

# 16 OTHER FEATURES

# 16.1 DEPLOYMENT CONFIGURATIONS FOR IM&P, AUDIO, AND **VIDEO**

The mobile client can be deployed in several different configurations, based on configuration file parameters as follows:

- Primarily as an Instant Messaging and Presence (IM&P) client only (no audio or video support)
- Primarily as a soft client with audio only (no IM&P or video)
- Primarily as a soft client with audio and video (no IM&P)
- Primarily as a Unified Communications (UC) client with audio only (that is, IM&P and audio, but no video)
- Primarily as a UC client with audio, video, and IM&P
- Click-To-Dial (Call-Back and Call-Through with the native dialer)

For more information on the functionalities that are available in your version of the client, contact your service provider.

## 16.2 VERSION CONTROL

Version control is supported using the App Store mechanism. When a new release is available, the old version is removed from the App Store and users of the previous version are notified about the update possibility.

## 16.3 PRIVACY MANAGEMENT

Clearspan Communicator supports authentication with a user name and password for different services and servers requiring authentication. For convenience, the end user can save a user name and password for different realms.

When the end user adds contacts to the Contacts list, these contacts receive a New Subscriber dialog asking whether they allow the end user to see their presence. This information is stored in this contact's presence policies.

At any time, the user can edit the presence policies, which are stored on the server. The user can see all contacts that are allowed to view the user's presence (white list) and users that are not allowed to view the user's presence (blacklist). This feature requires a compatible presence server.

# 16.4 FIREWALLS AND NATS

The client supports rport (RFC 3581) for Network Address Translation (NAT) traversal and for using the client behind a firewall. However, it is assumed that the client is mainly used with a session border controller (SBC), which also provides support for NAT traversal for several key features, such as calling, (which is currently unlikely to work without an SBC).

## 16.5 FAILOVER AND FAILBACK

The client supports failover and failback mechanisms for all used protocols: Xsi, XMPP, and SIP. This feature is used to:

- Detect multiple connection endpoints (per protocol)
- Order connection points by priority
- Connect to the highest priority connection point
- Reconnect to the next connection point by priority one (if there is a problem with the primary connection point)
- Provide a failback mechanism to switch back to the primary, (which is the highest priority connection point)

# 16.6 SECURE VOIP COMMUNICATION

The client supports secure VoIP communication using encrypted call negotiation and media streams. Mandatory, preferred, and optional secure modes are supported.

# 16.7 VOIP QUALITY OF SERVICE

The client has the ability to mark audio and video streams with Differentiated Services Code Point (DSCP) or Type of Service (ToS) flags using the Quality of Service (QoS) capabilities of the network equipment.

# 16.8 CALL QUALITY REPORTS

The client can generate call quality (Real-Time Control Protocol [RTCP] Extended Reports [XR]) reports, which can be sent to external systems, providing real-time quality analysis and monitoring.

# 17 ABBREVIATIONS

APN Access Point Name

ACD Automatic Call Distribution

CC Country Codes

CLIP Calling Line Identification Presentation
CLIR Calling Line Identification Restriction

CS Circuit Switched

DSCP Differentiated Services Code Point

FMC Fixed-Mobile Convergence
HTTP Hypertext Transfer Protocol

HTTPS Hypertext Transfer Protocol Secure Sockets

IM&P Instant Messaging and Presence

IP Internet Protocol

NAT Network Address Translation
PBX Private Branch Exchange

PIN Personal Identification Number

QoS Quality of Service

RCS Rich Communication Suite
RTCP Real-Time Control Protocol
SBC Session Border Controller
SIM Subscriber Identity Module
SIP Session Initiation Protocol

TN Telephone Number

ToS Type of Service

UC Unified Communications

UI User Interface

URI Uniform Resource Identifier
URL Uniform Resource Locator

VM Voice Mail

VoIP Voice Over IP

VPN Virtual Private Network

XMPP Extensible Messaging and Presence Protocol

XR Extended Reports

Xsi Xtended Services Interface

