



Mitel 7147 Analog Phone

USER GUIDE

NOTICE

The information contained in this document is believed to be accurate in all respects but is not warranted by Mitel Networks™ Corporation (MITEL®). Mitel makes no warranty of any kind with regards to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. The information is subject to change without notice and should not be construed in any way as a commitment by Mitel or any of its affiliates or subsidiaries. Mitel and its affiliates and subsidiaries assume no responsibility for any errors or omissions in this document. Revisions of this document or new editions of it may be issued to incorporate such changes.

No part of this document can be reproduced or transmitted in any form or by any means - electronic or mechanical - for any purpose without written permission from Mitel Networks Corporation.

TRADEMARKS



The trademarks, service marks, logos and graphics (collectively "Trademarks") appearing on Mitel's Internet sites or in its publications are registered and unregistered trademarks of Mitel Networks Corporation (MNC) or its subsidiaries (collectively "Mitel") or others. Use of the Trademarks is prohibited without the express consent from Mitel. Please contact our legal department at legal@mitel.com for additional information. For a list of the worldwide Mitel Networks Corporation registered trademarks, please refer to the website: <http://www.mitel.com/trademarks>.

© Copyright 2019, Mitel Networks Corporation

All rights reserved

Contents

1	INTRODUCTION	1
1.1	USER INFORMATION	1
1.2	TELEPHONE PARTS	2
1.3	TELEPHONE LAYOUT	1
1.4	TABLE WITH KEY- SYMBOLS	2
1.5	CABLE INLETS AND MW SWITCH	3
2	CALL HANDLING	4
2.1	INCOMING CALLS	4
2.2	OUTGOING CALLS	5
2.3	DURING CALLS	7
2.4	CALL FORWARDING	8
2.5	OPTIONAL CALL HANDLING FEATURES	10
3	TELEPHONE/MENU FEATURES.....	15
3.1	CALL RECORDS/CALL LOG	15
3.2	SPEED DIAL MEMORY	15
3.3	CALLER ID DISPLAY	16
3.4	PHONE SETTING	16
3.5	SYSTEM DEPENDENT PHONE SETTING	18
3.6	TELEPHONE SPECIFICATION	20
3.7	WALL MOUNTING	22



1 INTRODUCTION

Mitel 7147 is an easy managed line-powered analogue phone. It supports, call log, message waiting, volume adjustment, configuration lock. This user guide describes the features of the Mitel 7147 when it is connected to MiVoice MX-ONE and Telephony Switch.

1.1 USER INFORMATION

Safety instructions

Save these instructions

Read these safety instructions before use!

Note: When using your telephone or connected equipment, the following basic safety precautions should always be followed to reduce risk of fire, electrical shock and other personal injury.

- Follow instructions in the equipment's user guide or other documentation.
- Always install equipment in a location and environment for which it is designed.
- Headsets used with this equipment must comply with EN/IEC 60950-1
- Do not make any changes or modifications to equipment without seeking approval from the party responsible for compliance. Unauthorized changes or modifications could void the user's authority to operate the equipment.
- Do not use the telephone to report a gas leak in the vicinity of the leak.
- Do not spill liquid of any kind on the product or use the equipment near water, for example, near a bathtub, washbowl, and kitchen sink, in a wet basement or near a swimming pool.
- Do not insert any object into equipment slots that is not part of the product or auxiliary product.
- Do not disassemble the product. Contact a qualified service agency when service or repair work is required.
- Do not use a telephone (other than cordless type) during an electrical storm.

Disposal of the product

Your product should not be placed in municipal waste. Please check local regulations for disposal of electronic products.


Notice to European customers:



The CE marking affixed to Mitel products indicates conformance to the R&TTE directive 99/05/EC (Radio and Telecommunications Terminal Equipment Directive). For a copy of the original signed Declaration (in full conformance with EN45014), please contact your Mitel office or Sales partner.

1.2 TELEPHONE PARTS

When you unpack your phone, you should ensure that you have all of the following items. If any part is missing, contact the supplier of your phone.



Telephone



Handset



Handset
Cord




Designation
Card











Telephone
Base Desk
Foot


1.3 TELEPHONE LAYOUT



1.4 TABLE WITH KEY- SYMBOLS

Symbols / Keys	French	Spanish	German	Portuguese	Dutch
Speed-dial M0-M7	Numérotation abrégée Touche M0-M7	Teclas programables M0-M7	Kurzwahl M0-M7	Discagem rápida M0-M7	Snel-kiezen M0-M7
Flash key 	Touche R-Flash	Tecla Flash	R- Taste	Flash	Haakcontact
Redial / Pause key 	Touche Rappel / Mise en attente	Rellamada/ Pausa	Wahlwiederholung / Pausentaste	Rediscagem/tecla de pausa	Nummerherhaling / Pauzetoets
0-9, * and # (dial keys)	0-9, * and # (touches de numérotation)	0-9, * and # (digitos)	0-9, * and # (Zifferntasten)	0-9, * and # (Dígitos)	0-9, * and # (bel toetsen)
Volume keys 	Touches de réglage volume	Volumen	Lautstärketasten	Volume	Volume toetsen
Mute key 	Touche secret - Act./desactiv- Micro	(Mute) silencio	Stummtaste	Mudo	Mute-toets
Call list key 	Touche Journal d'appel	lista de llamadas	Anrufliste	Lista de chamadas	Oproep lijst
Save key 	Touche de sauvegarde	Salvar	Speichertaste	Salvar	Opslaan
Delete key 	Touche d'Effacement	Borrado	Löschtaste	Excluir	Verwijderen
Music on hold 	Musique d'attente	Música en espera	Musik bei Warten	Música em espera	Muziek tijdens wachten
Message waiting 	Message en attente	Mensaje en espera	Nachricht wartet	Mensagem em espera	Wachtend bericht
Speaker / Headset key 	Haut-parleur / Casque	Altavoz / Tecla de manos libre	Lautsprecher / Kopfhörertaste	Alto-falante / Fone de ouvido	Luidspreker / hoofdtelefoon

1.5 CABLE INLETS AND MW SWITCH



Symbols	French	Spanish	German	Portuguese	Italian
Line socket	Prise ligne téléphonique	Puerto conexión de línea	Anschlussbuchse	Conector de linha telefónica	Presà linea telefonica
OFF / Hi Volt / MW(-) / MW(+)	ARRET / Haute Tension / MW(-) / MW(+)	DE / Alto voltaje / MW(-) / MW(+)	AUS/Spannung/ MW(-) / MW(+)	OFF / Hi Volt / MW(-) / MW(+)	OFF/Alta Tensione MW(-) / MW(+)
Headset Jack	Prise pour casque	Puerto de auricular	Kopfhörerbuchse	Conector do fone de ouvido	Presà Cuffia
Handset Jack	Prise pour combiné	Puerto de microtelefono	Hörerbuchse	Conector do monofone	Presà Microtelefono
Data Jack	Prise pour données	Puerto de datos	Datenbuchse	Conector de linha de dados	Presà dati

2 CALL HANDLING

2.1 INCOMING CALLS

To answer an incoming call

Lift the handset or press  without lifting the handset.



Answer a second call

A call waiting tone will inform you, during conversation that a second call is waiting. You have two options:

Option 1:

1. Replace the handset. The new call will be signaled on your phone
2. Lift the handset to receive the call.

Option 2:

1. Ask the party you are speaking with to wait
2. Press  and replace the handset. The waiting call will start ringing.
3. Lift the handset to receive the new call
4. Press **2** to return to the first call (Sweden, press )

After finishing the call, replace the handset to receive the first call again.

Answer a call from another extension

You can answer a call from another extension from any phone in your office:

1. Lift the handset and call the ringing extension.
2. You receive a busy tone, press numeric key, 8 (France:4 Sweden 6)

Do not disturb, DND

When you activate DND, calls to your extension is not shown.
Outgoing calls can be made as usual.

Activate DND:

Activate DND :

Lift the handset and press numeric keys * **2 7** #. Replace the handset.

Deactivate DND:

Lift the handset and press numeric keys **# 2 7** #. Replace the handset



Call duration timer for incoming calls

A call duration timer for incoming calls starts 5 seconds after “off hook” status is established. The caller ID is stored in the call list.


2.2 OUTGOING CALLS

Dial and Pre-dial




Dial

Pick up the handset or press  for hands free / headset operation. Press numeric keys, (if required also * # or  to dial out)

Pre-dial




During on-hook, press the keys for the number to be dialed (max. 32 digits). press  to pick up the handset, the phone will dial out the number in 1,1s.

Call by Handsfree



1. Press  and enter the number by using the dial pad.
2. To hang up the phone, press  again.
3. When you are in handset mode, you can switch to handsfree mode by pressing .

Call by Headset

Insert a headset to the phone

1. Press  and enter the number.
2. To hang up the phone, press  again.
3. When you are in handset mode, you can switch to headset mode by pressing .




Redial

1. Press , the display shows the last number you have dialed.
2. Lift the handset or press either  to dial out.


Last External Number Redial

1. Lift the handset and press numeric key * * *
(Finland and Sweden: * * 0)

Dial Back from Call Record

1. Press 
2. Press  repeatedly to scroll the list and select call record that you wish to call
3. Lift the handset or press 

Speed-dial by Memory Keys (M0-M7)

1. Pick up the handset or press 
2. Press memory key (M0 to M7)

Call Back

If a called extension is busy or there is no answer:

1. At busy tone, Press numeric key 6 (Finland, France and Sweden: 5)
2. Replace the handset
3. Lift the handset when you are called back

If all external lines are busy (after dialing the digit or digits to get the line:

1. At busy tone, Press numeric key, 6 (Finland, France, Sweden: 5).
2. Dial the external number and press #
3. Replace the handset
4. Lift the handset when you are called back

Cancel call back

Cancel single call back: Lift the handset and press numeric keys # 3 7* , ext number, #. Replace the handset

Cancel all callbacks: Lift the handset and press numeric key # 3 7 #. Replace the handset.

Protection (Data Privacy)

Protection allows you to make a call without any disturbances, e.g. intrusion. The feature is automatically cancelled when the call is finished

1. Lift the handset and Press numeric keys * 41 #

Number presentation restriction

If you do not want your name and number to be displayed to the person you are calling.



1. Lift the handset and press numeric keys * 4 2 #
2. Dial the number

Call duration timer for outgoing calls



A call duration timer for outgoing calls starts 5 seconds after “off hook” status is established. The caller ID is stored in the call list.

2.3 DURING CALLS



Mute

1. When a call is in progress, press  to mute (LED flashing).
2. To speak to the caller, press  again (LED off).


Mute with music/Music on hold

1. When a call is in progress, press  to hold the call (LED on).
2. Press  again or toggle the hook switch to resume the call (LED off).


Inquiry

1. When a call is in progress, press 
2. Call 3rd party and wait for an answer
3. Return to the first call by pressing, **2** (Sweden: )

Refer back (Switch back):


Press, **2** to refer back to the other party (Sweden: )

Transfer


When a call is in progress, press 

Call 3rd party and wait for an answer. Replace the handset before or after the answer

Conference

1. When a call is in progress, press, 
 2. Call 3rd party
 3. After answer, press numeric key **3**
- Repeat the procedure to add more conference members (max 7 members)

Hold / Park a call

1. When a call is in progress, Press  and replace the handset
2. Lift the handset to resume the call on your own extension

To resume the call from on another extension:

1. Lift the handset
2. Call the extension where the call was put on hold
3. Press numeric key **8** (France: 4. Sweden:6)

2.4 CALL FORWARDING

Diversion

If you do not want to be disturbed or will be out of office, you can have all calls to your extension diverted to a preprogrammed answering position. Diversion can be made direct, on no answer, on busy or to another information service facility. As a reminder that your telephone is diverted, you will hear a special dial tone each time you lift the handset to make a call.

Order direct diversion from your own extension

The call can be diverted to an individual position or up to three determined common answering positions (depending on the type of the incoming call). Preprogrammed by your system administrator.

1. Lift the handset and Press numeric keys * 21 # (UK: *2#)
2. Replace the handset

Cancel diversion from your own extension:

1. Lift the handset and press numeric keys # 21 # (UK: # 2 #)
2. Replace the handset

To order diversion when there is no answer:

1. Lift the handset and Press numeric keys * 211 # (Finland and Norway: *61#)
2. Replace the handset

Cancel diversion when there is no answer:

1. Lift the handset and press numeric keys # 211 # (UK: #61#)
2. Replace the handset

Diversion when the caller receives a busy tone:

1. Lift the handset and Press numeric keys * 212 # (Finland and Norway: *67#)
2. Replace the handset

Cancel diversion when the caller receives a busy tone:

1. Lift the handset and press numeric keys # 212 # (UK: # 67 #),
2. Replace the handset

Internal Follow me

All calls to your extension are diverted to an extension of your choice, within the private network. For example, when you are working in another room and want your calls to follow you to that answering position. When your telephone has Follow-me you can still make calls from it as usual.

As a reminder that your telephone has Follow-me, you will hear a special dial tone each time you lift the handset to make a call.

Ordering Follow-me from your own phone:

1. Lift the handset (dial tone) and press numeric key * 2 1 * (UK:*2*)
2. Dial extension number of the answering position and press # (Special dial tone)
3. Replace the handset

Canceling Follow-me from your own phone:

1. Lift the handset (special dial tone) and press numeric key # 21 # (ordinary dial tone) (UK:#2#)
2. Replace the handset

Ordering Follow-me from another phone:

You can order Follow-me of your own extension number from another telephone.

The first step is to allow that Follow-me is permitted to be done from another telephone. Do the following from your own telephone:

1. Lift the handset (dial tone) and press numeric keys * 2 1 * (UK:*2*)
2. Dial own extension number and press #
3. Replace the handset

To order Follow me from another telephone:

1. Lift the handset (dial tone) and press numeric keys * 2 1 * (UK:*2*)
2. Dial own extension number * the extension number of the new answering position # (special dial tone)
3. Replace the handset

Canceling Follow-me from another phone:

1. Lift the handset (dial tone) and dial # 21*
2. Dial own extension number # (dial tone)
3. Replace the handset

Ordering Follow-me remotely:

With this feature you can order follow-me of any extension number from any telephone.

The prerequisite is that all the involved telephones have the right service profile-

To order remote programming of follow-me, do the following:

1. Lift the handset (dial tone) and press numeric keys * 2 1 * (UK:*2*)
2. Extension number to divert * extension number of the new answering position #
3. Wait for special dial tone
4. Replace the handset

Canceling Follow-me remotely:

To cancel remote programming of Follow-me from another telephone than the telephone with diverted number:

1. Lift the handset and wait for the dial tone

2. Press numeric keys **# 2 1 *** (UK:*2*)
3. Dial diverted extension number and press **#**
4. Replace the handset

External Follow me

1. Lift the handset and press numeric keys *** 2 2 #**
2. Dial external line code and external number press **#**
3. Replace the handset

Cancel: Lift handset and press numeric keys **# 2 2 #** . Replace the handset.

General Cancelation

Cancel all activated features:

Lift the handset and Press numeric keys **# 001#**

2.5 OPTIONAL CALL HANDLING FEATURES

The features below may not be available in your telephony system. Please contact your system administrator for information.

Free seating

1. Log on: Lift the handset and press numeric keys ***11***
2. Dial Authorization code and press numeric key ***** Own extension number, press **#**

Log off: Lift handset and press numeric keys **#11#**, Replace the handset.

Personal Number

With the personal numbers and profiles feature you can be reached on your normal office phone number even if you are out of the office. A search profile (1-5) can be designed to fit the situation (in the office, traveling, at home, and so on). Both internal and external phone numbers can be used in a profile. Your search profile is programmed or modified by system administrator.

When the feature is activated, incoming calls are transferred to selected phones or back-up services in the order that you choose. If an answering position in the profile is busy, the call can be transferred to another predefined position in the profile (Voice Mail or a colleague). You can handle the profiles from your own office phone. How to do this is described in this section (an operator can also assist you).

You can also use any of the Personal Assistant applications if available.

Contact your system administrator for more information. When out of the office, the feature Direct Inward System Access (DISA) can be used, if available in your system. How to use DISA is described in this section.

Activate or change profile from own extension:

1. Lift handset and press numeric keys *1 0 * (1- 5) #
2. Replace the handset

Canceling a profile from your phone:

1. Lift handset and press numeric keys #10#
2. Replace the handset

Voice Mail

Enter your mailbox:

1. Lift handset and dial the voice mail number and follow recorded instruction.

Note: If the number to the voice mail system has been programmed on the message waiting key you can also press that key to enter the mailbox.

Call Waiting

If you urgently wish to contact a busy extension or external line, you can notify the extension by a call waiting signal:

1. At busy tone, press numeric key, 5 (Finland, France: 6 Sweden: 4).
2. Wait on line

Account Code

This feature is used to charge a call to an account number or to prevent unauthorized calls from your phone. The account code can have 1-15 digits.

1. Lift handset and press numeric key * 6 1 * account code #
2. Dial the digit or digits to get an external line and the external number.

Absence Information

The absent information is used to inform the caller why you are absent and when you will return. Contact your system administrator regarding the available absence codes.

With return date and time

1. Lift the handset and press numeric key * 2 3 *
2. Enter absence code (0-9) and press numeric key *
3. Enter the date or time (MMDD) or time (HHMM), press #

Cancel: Lift handset and press numeric key # 2 3 #, Replace the handset.

Without return date and time

1. Lift the handset and press numeric key * 2 3 *
2. Enter absence code (0-9) and press numeric key #

Cancel: Lift handset and press numeric keys # 2 3 #, Replace the handset.

Order for another extension:

1. Lift the handset and press numeric key * 2 3 0 *

2. Dial the extension number and press *
3. Enter the absence code (0-9), press *

Enter date or time (MMDD) or time (HHMM), for the other persons return, Press #, Replace the handset.

Cancel: Lift handset and press numeric key **#230*** Dial extension number and press #, Replace the handset.

Parallel Ringing

This feature makes it possible for an incoming call to ring on several phones simultaneously and for the call to be answered on any of the phones. The feature requires all the phones involved to be defined in a parallel ringing list.

To disable the parallel ringing temporarily:

1. Lift the handset and press numeric key * **2 1** *
2. Dial extension number and press, #,
3. Replace the handset.

To restore Parallel Ringing:

Lift the handset and press numeric key **# 21 #**, Replace the handset.

Intrusion on a busy extension

You can intrude on an ongoing call on a busy extension:

1. Lift the handset and Press numeric key **4**, (France and Sweden: 8)

Before the intrusion a warning tone is sent to the parties in the ongoing call.

Group features

Group Call – pick - up

In a call-pick-up group, any member can answer any individual call to group member.

1. Lift the handset and Press numeric key ***8#** to answer the call (Finland and Sweden: 0)

Common bell group

Calls are signaled on a common bell:

1. Lift the handset and Press numeric key, ***8#**, to answer the call (Finland and Sweden: 0)

Group hunting

As a member of a group of extensions that is called by a common number, you can temporarily leave the group:

1. Lift the handset and Press numeric key * **2 1** * (U.K: *2*)
2. Dial your own extension number and press #, replace the handset.

To re-enter the group:

1. Lift the handset and press numeric keys **# 21 #**, Replace the handset (UK:#2#)

If you are authorized, you can divert all calls to a group, to another extension or another group:

1. Lift the handset and press numeric key * **2 4** *
2. Dial number of the group to be diverted, Press numeric key *

3. Dial extension number to the new answering position, press #
4. Replace the handset

To cancel the diversion:

1. Lift the handset and press numeric key # 2 4 *
2. Dial the number of the group that has been diverted
3. Press numeric key #,
4. Replace the handset

Direct inward system Access - DISA

If you are assigned to use this feature and you are working externally, you can call your office and get access to an external line in order to make business calls.

With common authorization code:

1. Lift the handset and call the DISA feature in your office.
2. You receive dial tone, press numeric key: * 7 2 *
3. Dial the authorization code and press numeric key #
4. You receive a dial tone, Dial external number

With individual Authorization code:

1. Lift the handset and call the DISA feature in your office.
2. You receive dial tone, press numeric key: * 7 5 *
3. Dial the *authorization code* and press numeric key *
4. You receive a dial tone, Dial *external number*, press *
5. Dial your *own extension number* and press #
6. You receive a dial tone. Dial external number

Authorization code, Common

If you are authorized to use a common authorization code (1 to 7 digits) you can temporarily change any phone used within the telephone system to the authority level connected to this code.

For a single call:

1. Lift the handset and press numeric key * 7 2 *
2. Enter *authorization code* and press #
3. You receive a verification tone, Dial the digit or digits to get an external line and the external number.

To open an extension for several calls:

1. Lift the handset and press numeric key # 7 3 *
2. Enter authorization code and press #
3. You receive a verification tone.

To lock an extension:

1. Lift the handset and press numeric key * 73*

2. Enter *authorization code* and press **#**
3. You receive a verification tone.

Authorization code, individual

If you are authorized to use an individual authorization code (1-7 digits, affiliated to your own extension) you can lock your own extension to a common authority level, e.g. when out of the office. You can also temporarily change any other phone used within the telephone system to the same authority level as you have on your own phone. The individual code can be changed from your own extension.

To lock the phone:

1. Lift the handset and press numeric key *** 76 ***
2. Enter *authorization code* and press **#**
3. You receive a verification tone.

To make calls with your authority level when your phone is locked:

1. Lift the handset and press numeric key ***75 ***
2. Enter *authorization code* and press **#**
3. Dial the digit or digits to get an external line and the external number.

To open your phone:

1. Lift the handset and press numeric key **# 76 ***
2. Enter *authorization code* and press **#**
3. You receive a verification tone.

To assign your own authority level to another phone:

1. Lift the handset and press numeric key *** 75 ***
2. Enter *authorization code* and press *****
3. You receive verification tone
4. Enter your *own extension number* and press **#**
5. You receive verification tone, Dial the digit or digits to get an external line and the external number.



To change your individual authorization code:

1. Lift the handset and press numeric key *** 74 ***
2. Enter *old authorization code* and press *****
3. Enter *new authorization code* and press **#**
4. You receive verification tone.

3 TELEPHONE/MENU FEATURES



3.1 CALL RECORDS/CALL LOG

View Call Records

1. Press [] to view the call list
2. Press [] repeatedly to scroll the list

Save a Call Record



To store one telephone number from the Call Records list to one of the memory keys:

1. Press the Call list key [] until you see the number you want to save
2. Press the Save key []
3. Press the memory key you want to use for this telephone number (M0 to M7).
4. Sign the number card

Delete Call Records

1. Press [] and Press [] to delete record



Dial from Call record

1. Select the call record that you wish to call.
2. Lift the handset or press either  



3.2 SPEED DIAL MEMORY

There are eight memory keys (M0-M7) for storing frequently used number.

Save a Memory

1. Replace the handset on the phone
2. Select and press one of the memory keys (M0 to M7)
3. Press [] and enter the number to be saved
4. Press [] key again to complete saving

Dial from a Memory key

1. Pick up the handset or press [ ]
2. Select and press one of the memory keys (M0 to M7)

Delete Memory key

1. Replace the handset on the phone
2. Press memory key (M0 to M7)


3. Press []

3.3 CALLER ID DISPLAY

After receiving a new incoming call, the number will be displayed on LCD and hold for 10s. During this time, if received another new call, it will continue to display for 10s and display corresponding call.

Example: display content


“12:00 9/3” indicates the time and date.



The call list shows incoming; missed and outgoing calls. Scroll down the list by pressing the call list key repeatedly.

If the record is full, the next incoming call will replace the oldest record one by one.

- Missed call is indicated by the handset icon with a cross
- Incoming call is indicated by the handset icon with an arrow pointing to it
- Outgoing call is indicated by the handset icon with an arrow directed from the handset



Note: “22” indicates the position number in the call list.

3.4 PHONE SETTING

Set Ring Volume

Three levels of ring volume is provided: **High, Low, Ringer off**

1. Place the handset on the phone
2. Press '**Volume +**' to increase ring volume
3. Press '**Volume -**' to decrease ring volume.

Disable Ring Signal

To disable the ring signal for incoming calls:

1. Unlock the phone
2. Press the '**Volume –**' until you reach **Silence** level (long press 3 sec).

The display will show "RING OFF" to notify the user that the ring signal is disabled.

The Mute key LED is off but flashes at 0.5 second intervals when there is an incoming call

Set Handset Volume


Four levels of handset volume is provided: **Level 1 to 4**

1. Pick up the handset
2. Press 'Volume +' to increase the handset volume
3. Press 'Volume –' to decrease the handset volume

Set Headset Volume


Four levels of headset volume is provided: **Level 1 to 4**

Plug in the headset

1. Press []
2. Press 'Volume +' to increase the handset volume
3. Press 'Volume –' to decrease the handset volume

Set Handsfree Volume

Eight levels of handsfree volume is provided: **Level 1- 8**

1. Pick up handset
2. Press []
3. Press 'Volume +' to increase the handsfree volume
4. Press 'Volume –' to decrease the handsfree volume

Set password

A 4 digits combination password can be set to the phone in order to lock some critical parameters settings and speed dial memories from changing by unauthorized users.

Change password

1. During On-hook, press [save]+[#]+[0]+[5]+[#]+[XXXX]+[#]+[YYYY]+[#]+[YYYY]+[#].
2. [XXXX] is the old password; [YYYY] is the new password. (Default 0000).

The saved new password will be asked for only when the phone is locked

To lock the phone

1. During On-hook, press [save]+[XXXX]+[#] (XXXX is the set password)

To unlock the phone

1. During On-hook, press [delete]+[XXXX]+[#] (XXXX is the set password)

Set time and date

1. In idle state, press [save] for 3 seconds to enter the time/date setting mode
2. Enter the number for *HH:MM DD/MM* (or *MM/DD* depends on the date format selected). For example, 17:30 06/28, press [1]+[7]+[3]+[0]+[0]+[6]+[2]+[8]. The corresponding digit of time/date icon flashes to indicate which digit is being entered.

Set Ring Melody

1. During On-hook, press [save]+[#]+[0]+[2]+[#]+[X]+[#].
2. X could be set from 1 to 8 (melodies 1~8).

LCD Contrast

1. During On-hook, press [save]+[#]+[0]+[3]+[#]+[X]+[#].
2. X could be set from 1 to 4 (Level 1~4).

Date Format

1. During On-hook, press [save]+[#]+[0]+[4]+[#]+[X]+[#].
2. X could be set from 1 to 2 (1=MM/DD, 2=DD/MM).

3.5 SYSTEM DEPENDENT PHONE SETTING

Message Waiting Function (MW)

The telephone is equipped with a Message waiting key with a built in LED. If you have a voice mail box it is possible to get an indication on the telephone when you have received a new voice mail. Then the LED will be lighted ON or flashing in blue. The voice mail box can be reached by pressing the MW button.

Enable the MW function on your telephone

To enable the MW function it is required to make two settings:

- I. Set the MW switch to the position that is supported by the telephony system. Alternatives are: MW-, MW+, HV.
- II. You must store the number to the voicemail box in the MW memory of the telephone.




I) Setting the Message Waiting Switch

The Message Waiting switch (at the back of the phone) is used to select the appropriate MW mode (HV / + / -). Please check which MW type the PBX system supports.



1. Set the MW switch

Note: If the LED is steady active, change the message waiting switch position.


II) Save your voice mail number in the telephone

1. Place the handset on the phone and press []
2. Press [] and enter the number to be saved
3. Press [] key again to complete saving
4. The “save” successes with confirmation tone

Disable the message waiting function:

- I). Change the MW switch at the back of the telephone to “OFF”.
 - II). Delete the number to the voice mail box from the MW memory:
3. Place the handset on the phone
 4. Press []
 5. Press []
 6. The “delete” successes with confirmation tone

Dial from a MWM

1. Pick up the handset or press ‘Speaker/Handset’
2. Press the []

Set Flash time

Different combination of key sequences are used on different parameter settings as shown in the table below

Parameters	Programming key sequence	Lock Protected	Valid Settings	Default
Set flash time	[save]+[#]+[0]+[1]+[#]+[X]+[#]	Yes	1: 100ms 2: 200ms 3: 300ms 4: 400ms 6: 600ms 9: 900ms	100ms

3.6 TELEPHONE SPECIFICATION

Main Characteristics	
Professional Telephone	Single line
Signaling	Analog (DTMF)
Market Certification	Europe (CE)
Body Color	Dark grey
Features	
Visual indicator for incoming call	Flashing LED
DTMF dialing	Yes
Number memory	Stores 8 telephone numbers
Last number Redial	Yes
Flash function (R) Programmable flash time	100 ms (default) 100 ms (default), 200 ms, 300 ms, 400 ms, 600 ms, 900 ms
Hearing aid compatible	Yes
Volume control	Handset / Headset (4 levels) Handsfree (8 levels)
Microphone Mute	Yes
Music on Hold	Yes
Message Waiting (MW)	4 alternatives supported: MW+/MW-/HV/Off
Caller ID display	FSK and DTMF signaling – according to selected parts of ETSI EN300 659-1, -2, -3
Call List (incoming/ missed and outgoing)	60 call records
Reset calling/redial list	Erase content
Call Timer	Yes
Real time clock	Yes
Moth / Date presentation	Yes
Delete calling/redial list	yes
Handsfree Loudspeaker or Headset pre-set mode	Default (Headset disabled) (Hands free disabled)
Configuration Lock (4-digit pass code)	speed-dial memory and critical phone settings are lockable
Ringer melody	8 types
Ringer volume	2 levels
Ringer silence	Yes
Data port	For connecting the PC to the telephone line
Hardware	
2 line display	1 st line with icons and time/date display with icons 2 nd line with 16 numeric characters (7-segment)
Speed dialing keys	8
Memory card	1

Redial/Pause	1
Flash key (R)	1
Mute key with LED	1
Handsfree / Headset pre-set key with LED	1
Hold key with LED	1
MW with LED indicator	1
Volume control	2
Save	1
Call list key	1
Delete key	1
Handset receiver	Electro-dynamic
Microphone	Electret
Tone ringer	Piezo type
Headset interface	1
Data port	1

Accessories	
Connection cable, RJ11/ RJ45	1 pcs, 2 meters (not included)
Number card	1 pcs (not included)

3.7 WALL MOUNTING

