

Vacant numbers

OPERATIONAL DIRECTIONS



NOTICE

The information contained in this document is believed to be accurate in all respects but is not warranted by Mitel Networks™ Corporation (MITEL®). Mitel makes no warranty of any kind with regards to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. The information is subject to change without notice and should not be construed in any way as a commitment by Mitel or any of its affiliates or subsidiaries. Mitel and its affiliates and subsidiaries assume no responsibility for any errors or omissions in this document. Revisions of this document or new editions of it may be issued to incorporate such changes.

No part of this document can be reproduced or transmitted in any form or by any means - electronic or mechanical - for any purpose without written permission from Mitel Networks Corporation.

TRADEMARKS

The trademarks, service marks, logos and graphics (collectively "Trademarks") appearing on Mitel's Internet sites or in its publications are registered and unregistered trademarks of Mitel Networks Corporation (MNC) or its subsidiaries (collectively "Mitel") or others. Use of the Trademarks is prohibited without the express consent from Mitel. Please contact our legal department at legal@mitel.com for additional information. For a list of the worldwide Mitel Networks Corporation registered trademarks, please refer to the website: <http://www.mitel.com/trademarks>.

© Copyright 2017, Mitel Networks Corporation

All rights reserved

1

GENERAL

The command *vacant_number* simplifies the daily work for Operation and Maintenance personnel. The command enables printout of vacant numbers in the system.

Vacant numbers are numbers that are initiated in number analysis data, but unsigned as any line type or used destination. The supported number types are found below.

The following number types are permitted:

AC - Abbreviated common numbers

DN - DNIS numbers

EC - External coordinated numbers

ED - External destination numbers

EX - Extension numbers

OC - Operator common numbers

OD - Operator DID numbers

OI - Operator individual numbers

PD - Public destination numbers

Other number types that are defined in number analysis, are not supported by the *vacant_number* command.

See the Operational Directions for NUMBER ANALYSIS for more details on number types.

2

PREREQUISITES

-

3

AIDS

I/O terminal

4

REFERENCES

These Operational Directions refer to the following documents:

Command description:	Vacant number, command <i>vacant_number</i> in the Technical Reference Guide, unix commands
Operational Directions:	Number analysis

5 PROCEDURE

-

6 EXECUTION

6.1 PRINTING VACANT NUMBERS FOR A NUMBER TYPE

To execute the print-out of vacant numbers, key the command:

vacant_number --number-type x

7 TERMINATION

Dump to backup media is to be executed if exchange data have been changed and no further commands are to be entered.