

MiVoice MX-ONE

# Flexible Public CLI number Configuration - Operational Directions

Release 7.3 SP1

November 09, 2020



## Notice

The information contained in this document is believed to be accurate in all respects but is not warranted by **Mitel Networks™ Corporation (MITEL®)**. The information is subject to change without notice and should not be construed in any way as a commitment by Mitel or any of its affiliates or subsidiaries. Mitel and its affiliates and subsidiaries assume no responsibility for any errors or omissions in this document. Revisions of this document or new editions of it may be issued to incorporate such changes. No part of this document can be reproduced or transmitted in any form or by any means - electronic or mechanical - for any purpose without written permission from Mitel Networks Corporation.

## Trademarks

The trademarks, service marks, logos and graphics (collectively "Trademarks") appearing on Mitel's Internet sites or in its publications are registered and unregistered trademarks of Mitel Networks Corporation (MNC) or its subsidiaries (collectively "Mitel") or others. Use of the Trademarks is prohibited without the express consent from Mitel. Please contact our legal department at [legal@mitel.com](mailto:legal@mitel.com) for additional information. For a list of the worldwide Mitel Networks Corporation registered trademarks, please refer to the website: <http://www.mitel.com/trademarks>.

®,™ Trademark of Mitel Networks Corporation  
© Copyright 2020, Mitel Networks Corporation  
All rights reserved

---

# Contents

<b>Chapter: 1</b>	<b>General . . . . .</b>	<b>1</b>
<b>Chapter: 2</b>	<b>Prerequisites . . . . .</b>	<b>2</b>
	Common Public Number . . . . .	2
	An Extension Group Number . . . . .	2
<b>Chapter: 3</b>	<b>Aids . . . . .</b>	<b>3</b>
<b>Chapter: 4</b>	<b>References . . . . .</b>	<b>4</b>
<b>Chapter: 5</b>	<b>Configuration of Flexible Public CLI Number . . . . .</b>	<b>5</b>
<b>Chapter: 6</b>	<b>Execution . . . . .</b>	<b>6</b>
<b>Chapter: 7</b>	<b>Termination . . . . .</b>	<b>7</b>

# General

For generic extensions, there is an option to use an alternative Flexible CLI number set either by I/O-command, by end-user procedure or through CSTA service request, for example the mobile phone number in the PLMN, or fix PSTN subscriber number, representing the generic extension (primarily for RXNs).

# Prerequisites

## Common Public Number

To use a Common public number, it must be configured. See *Common public directory number OPERATIONAL DIRECTIONS*.

## An Extension Group Number

To use extension group number, it must be configured. See *Group Hunting, GH OPERATIONAL DIRECTIONS for PBX groups and Automatic call distribution, AC OPERATIONAL DIRECTIONS for CTI/ACD groups*.

# Aids

I/O terminal.

# References

These Operational Directions refer to the following other commands and operation directions:

<b>Command descriptions:</b>	<i><b>extension_option</b></i>
<b>Operational Directions:</b>	<i>CSTA Server Phase III</i> <i>CSTA Server Phase I</i>

# Configuration of Flexible Public CLI Number

To use a number in the PLMN/PSTN, you must use command `extension_option` to set the number.



# Execution

When the user activates the Flexible public CLI function (procedure \*FC\*), the following approved numbers can be used for the Calling Line Identity when calling a public destination.

- A restricted number, procedure \*FC\*0#
- Common public number for the PBX or LIM, procedure \*FC\*1#
- A number in the PLMN/PSTN set by command `extension_option`, procedure \*FC\*2#
- An extension group number (PBX/CTI), procedure FC\*3<group number>#

When the user deactivates the optional Flexible public CLI number function (procedure #FC#), the user's own directory number will be displayed as the calling/connected party number.

The functionality works over the CSTA interface if the application has implemented it, and a CSTA event is sent when the Flexible public CLI number is set or changed through a command, procedure, or CSTA request.

# Termination

If any exchange data will be changed, a dump to backup media must be performed. See the operational directions in the *Administrator User's Guide*.

